
Ama bommo





Ama bomma









Ama bomma



Ama Inspiration

Ama Inspiration

Pearls from the depth of the mysterious sea

The name of this collection refers to pearls, specifically the Japanese female pearl divers called Ama. The Ama Collection visually evokes the delicate shells of mussels that produce treasured pearls. Meticulously cut glass of substantial size encases a pearl in its center in the form of a light source providing soft ambient light. The perfectly cut growth lines on the outer shell point to the center of the light, further evoking the unique impression of a pearl

Design by Václav Mlynář





Ama bomma





Ama boomma



Ama bomma

Václav Mlynář, designer of the collection and BOMMA's Creative Director

Ama Production



Ama bomma

Over the course of two days, the glass is heated and gradually melts by its own weight into a prepared conical mold.



Ama bomma

Each glass shell is meticulously cutted by in-house developed machine





Ama boomma

Ama Projects





Ama bomma

Ama in smoke, bronze matte and clear matte color





Ama bomma Hotel Glar, Poland, Interior by NOKE Architects





Ama bomma Courtyard by Marriott, Armenia, Interior by Studio SHOO







Ama bomma

Euroluce 2025, Interior by Studio Salaris and Václav Mlynář

BLUERIOT, Deveron Offices, Prague





Ama bomma M&M residence, Athens

Ama Options

Options

Pendant
Closed

Glass options clear matte / bronze matte / smoke



Clear matte

Bronze matte

Smoke

Options

Pendant
Opened

Glass options clear matte / bronze matte / smoke



Clear matte

Bronze matte

Smoke

Ama Technical Information


AMA pendant

Design by
Václav Mlynář

Handmade glass attributes

The Ama Collection is made by our in-house developed glassmaking technique. Over the course of two days, the glass is heated and gradually melts by its own weight into a prepared conical mold. Any irregularities in the glass are both proof and a characteristic feature of this unique glassmaking process.

Each piece of Ama collection is then defined by precise cut.



Ama bomma

LIGHTING DESCRIPTION	
Size Pendant Closed	445 mm x 205 mm, H 630 mm 17,5 inch x 8 inch, H 24,8 inch
Size Pendant Opened	445 mm x 295 mm, H 630 mm 17,5 inch x 11,6 inch, H 24,8 inch
Cable	black textile braid cable 2,5 m / 98,4 inch
Weight	+- 12 kg / 26,5 lb
Glass	lead-free crystal in clear matte, bronze matte and smoke
Mounting	granite black (aluminium granite black powder coating)
Canopy color	black (steel with black powder coating)
Protection	IP 20
Nominal voltage	110-240V / A.C. 50-60 hz (EU) 110-120 V / A.C. 60 Hz (USA)
Class	I. EU / I. USA

LIGHT SOURCE	
Type	LED module 12,6W, 1200lm, 350mA, 34V
Base	custom LED module
Temperature	2700 K
Color index	RA 90+
Dimming	Dimmable with TRIAC, ELV, 0-10V, PUSH, DALI, CASSAMBI

PACKAGING	
Material	Cardboard
Size	800 × 640 × 440 mm 31,5 × 25,2 × 17,3 inch

Origin: traditionally produced in the Czech Republic
Intellectual property license holder: Bomma Czech Republic (EU)
Represented by BMRC group s.r.o.

CERTIFICATES

step beyond

BOMMA BMRC Group s.r.o. Pod dráhou 1638/7 Prague 7, 170 00 Czech Republic info@bomma.cz