
Tim bommel



Tim bomma





Tim bomma

Tim Inspiration

Purity, clarity and mastery

These monumental pieces marked Bomma's entry to the world of top-level lighting design and set us on our path. Their sheer weight and size reaches the limits of what can be achieved by free-form mouth blowing. Unique world-wide and displaying the subtle variations of hand craft, these impressive lights embody design simplicity and glassmaking mastery.

Design by Olgoj Chorchoj Studio





Tim Production



Tim boomma



Tim bomma



Tim bomma

Tim Projects





Tim bomma

Bernard visitor center, Czechia

Private residence, Denmark





Tim bomma Katha Tarana, India, 2022, Interior by Untitled Design /





Tim bomma MILA restaurant, Miami, 2019 BOMMA catalogue, 2021




Tim bomma

Masaryčka – BCG Offices, Prague, 2024, Interior by PENTA REAL ESTATE



Tim bomma

Dining area with the soul of an artefact, San Francisco





Tim bomma

Tee house, Czechia

Interior of an apartment in Prague, Czechia, Interior by Klára Makovcová Architects



Tim bomma

Dining area with the soul of an artefact, San Francisco

Tim Options

Options

Pendant Small

Glass options
clear
smoke

Fitting options
black
silver
brushed copper



Clear / Silver



Smoke / Black



Clear / Brushed copper

Options

Pendant Medium

Glass options
clear
smoke

Fitting options
black
silver
brushed copper



Tim bomma

Clear / Silver

Smoke / Black

Clear / Brushed copper

Options

Pendant Large

Glass options
clear
smoke

Fitting options
black
silver
brushed copper



Clear / Silver

Smoke / Black

Clear / Brushed copper

Tim

Technical Information


TIM pendant small

Design by
Olgoj Chorchoj studio

Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and ir-regularities in the glass are both proof and a characteristic feature of this traditional craft.

The Tim Collection is produced in two colors - clear and smoke. The smoke color is made by underlying colored glass technology. Thanks to the manual process of blowing underlay glass, each piece is an original. Individual products may vary slightly in intensity, hue or even color. This is an accompanying characteristic of the traditional underlay glass technology.



Tim bomma

LIGHTING DESCRIPTION

Size	dia. 350 mm (±50), H 530 mm (±100) dia. 13,8 inch (+-2), H 20,9 inch (+-4)
Cable	black textile braid 2,5 m / 98,4 inch
Weight	+- 13,5 kg / 29,7 lb
Glass	mouth-blown lead-free crystal in clear and smoke grey
Mounting	silver (polished stainless steel) brushed copper (brushed copper) black (stainless steel with black powder coating)
Protection	IP 20
Nominal voltage	220-240V / A.C. 50 hz (EU) 110-120 V / A.C. 60 Hz (USA)
Class	II. EU / I. USA

LIGHT SOURCE

Type	G80, 6W LED, 510 lm
Base	E27 (EU) / E26 (USA)
Wattage	max. 13W
Temperature	2700 K
Color index	RA 90+
Dimming	Dimmable with TRIAC ; on demand dimmable with DALI, RF/WIFI, for information on dimming with other systems please contact your Bomma partner.

PACKAGING

Material	Cardboard
Size	940 × 480 × 480 mm 37 × 18,8 × 18,8 inch

Origin: traditionally produced in the Czech Republic
Intellectual property license holder: Bomma Czech Republic (EU)
Represented by BMRC group s.r.o.

CERTIFICATES


TIM pendant medium

Design by
Olgoj Chorchoj studio

Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and ir-regularities in the glass are both proof and a characteristic feature of this traditional craft.

The Tim Collection is produced in two colors - clear and smoke. The smoke color is made by underlying colored glass technology. Thanks to the manual process of blowing underlay glass, each piece is an original. Individual products may vary slightly in intensity, hue or even color. This is an accompanying characteristic of the traditional underlay glass technology.



Tim bomma

LIGHTING DESCRIPTION

Size	dia. 500 mm (±50), H 730 mm (±100) dia. 19,7 inch (±2), H 28,7 inch (±4)
Cable	black textile braid 2,5 m / 98,4 inch
Weight	+- 18 kg / 39,6 lb
Glass	mouth-blown lead-free crystal in clear and smoke grey
Mounting	silver (polished stainless steel) brushed copper (brushed copper) black (stainless steel with black powder coating)
Protection	IP 20
Nominal voltage	220-240V / A.C. 50 hz (EU) 110-120 V / A.C. 60 Hz (USA)
Class	II. EU / I. USA

LIGHT SOURCE

Type	G95, 6W LED, 540 lm
Base	E27 (EU) / E26 (USA)
Wattage	max. 13W
Temperature	2700 K
Color index	RA 90+
Dimming	Dimmable with TRIAC ; on demand dimmable with DALI, RF/WIFI, for information on dimming with other systems please contact your Bomma partner.

PACKAGING

Material	Cardboard
Size	950 × 670 × 670 mm 37,4 × 26,4 × 26,4 inch

Origin: traditionally produced in the Czech Republic
Intellectual property license holder: Bomma Czech Republic (EU)
Represented by BMRC group s.r.o.

CERTIFICATES


TIM pendant large

Design by
Olgoj Chorchoj studio

Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.

The Tim Collection is produced in two colors - clear and smoke. The smoke color is made by underlying colored glass technology. Thanks to the manual process of blowing underlay glass, each piece is an original. Individual products may vary slightly in intensity, hue or even color. This is an accompanying characteristic of the traditional underlay glass technology.



Tim bomma

LIGHTING DESCRIPTION

Size	dia. 650 mm (±50), H 900 mm (±100) dia. 25,6 inch (±2), H 35,4 inch (±4)
Cable	black textile braid 2,5 m / 98,4 inch
Weight	+- 22 kg / 48,4 lb
Glass	mouth-blown lead-free crystal in clear and smoke grey
Mounting	silver (polished stainless steel) brushed copper (brushed copper) black (stainless steel with black powder coating)
Protection	IP 20
Nominal voltage	220-240V / A.C. 50 hz (EU) 110-120 V / A.C. 60 Hz (USA)
Class	II. EU / I. USA

LIGHT SOURCE

Type	G95, 6W LED, 540 lm
Base	E27 (EU) / E26 (USA)
Wattage	max. 13W
Temperature	2700 K
Color index	RA 90+
Dimming	Dimmable with TRIAC ; on demand dimmable with DALI, RF/WIFI, for information on dimming with other systems please contact your Bomma partner.

PACKAGING

Material	Cardboard
Size	1000 × 700 × 700 mm 39,4 × 27,5 × 27,5 inch

Origin: traditionally produced in the Czech Republic
Intellectual property license holder: Bomma Czech Republic (EU)
Represented by BMRC group s.r.o.

CERTIFICATES

step beyond

BOMMA BMRC Group s.r.o. Pod dráhou 1638/7 Prague 7, 170 00 Czech Republic info@bomma.cz